

---

# **RULES FOR THE SURVEY AND CONSTRUCTION OF STEEL SHIPS**

**RULES**

## **Part L      Equipment**

### **2007      AMENDMENT NO.1**

Rule No.12      1st February 2007

Resolved by Technical Committee on 17th November 2006

Approved by Board of Directors on 19th December 2006

Rule No.12      1st February 2007

## AMENDMENT TO THE RULES FOR THE SURVEY AND CONSTRUCTION OF STEEL SHIPS

“Rules for the survey and construction of steel ships” has been partly amended as follows:

### **Part L      Equipment**

#### **Chapter 2   ANCHORS**

##### **2.1   ANCHORS**

###### **2.1.3   Materials**

Sub-paragraph -2 has been amended as follows.

- 2**   Cast steels for super high holding power anchor are to be subjected to the impact test and one set of three V-notch impact test specimens specified in **Chapter 2, Part K** are to be taken from the test assembly cast integral with the body of casting. The minimum mean absorbed energy is not to be less than  $27J$  at  $0^{\circ}\text{C}$ . In this case, where the absorbed energy of two or more test specimens among a set of test specimens is less than  $27J$  or when the absorbed energy of a single test specimen is less than  $19J$ , the test is to be considered to have failed.

#### **EFFECTIVE DATE AND APPLICATION**

- 1.**   The effective date of the amendments is 1 February 2007.
- 2.**   Notwithstanding the amendments to the Rules, the current requirements may apply to materials other than those for which the application for survey is submitted to the Society on and after the effective date.

---

# **GUIDANCE FOR THE SURVEY AND CONSTRUCTION OF STEEL SHIPS**

**Part L**

**Equipment**

**GUIDANCE**

**2007      AMENDMENT NO.1**

Notice No.10      1st February 2007

Resolved by Technical Committee on 17th November 2006

Notice No.10 1st February 2007

## AMENDMENT TO THE GUIDANCE FOR THE SURVEY AND CONSTRUCTION OF STEEL SHIPS

“Guidance for the survey and construction of steel ships” has been partly amended as follows:

### Amendment 1-1

## **L2 ANCHORS**

### **L2.1 Anchors**

#### **L2.1.9 Drop and Hammering Tests**

Sub-paragraph -1(1) has been amended as follows.

- (1) Ultrasonic testing in random area of castings (for example, root of arm, shank, head pin, etc.)

### EFFECTIVE DATE AND APPLICATION (Amendment 1-1)

1. The effective date of the amendments is 1 February 2007.
2. Notwithstanding the amendments to the Guidance, the current requirements may apply to materials other than those for which the application for survey is submitted to the Society on and after the effective date.

## **L5 FIBRE ROPES**

### **L5.1 Fibre Ropes**

Paragraph L5.1.3 has been added as follows.

#### **L5.1.3 Processes of Manufacture**

Where the tests for the filaments specified in **Chapter4, Part 2 of Guidance for the Approval and Type Approval of Materials and Equipment for Marine Use** as a part of the approval test of synthetic fibre rope are carried out by synthetic fibre rope manufacture and passed them, the filaments may be used for synthetic fibre rope.

### **EFFECTIVE DATE AND APPLICATION (Amendment 1-2)**

1. The effective date of the amendments is 1 February 2007.