

RULES FOR BALLAST WATER MANAGEMENT INSTALLATIONS

GUIDANCE FOR BALLAST WATER MANAGEMENT INSTALLATIONS

Rules for Ballast Water Management Installations

2019 AMENDMENT NO.2

Guidance for Ballast Water Management Installations

2019 AMENDMENT NO.2

Rule No.108 / Notice No.75 27 December 2019

Resolved by Technical Committee on 22 July 2019

ClassNK
NIPPON KAIJI KYOKAI

An asterisk (*) after the title of a requirement indicates that there is also relevant information in the corresponding Guidance.

RULES FOR BALLAST WATER MANAGEMENT INSTALLATIONS

RULES

2019 AMENDMENT NO.2

Rule No.108 27 December 2019

Resolved by Technical Committee on 22 July 2019

An asterisk (*) after the title of a requirement indicates that there is also relevant information in the corresponding Guidance.

AMENDMENT TO THE RULES FOR BALLAST WATER MANAGEMENT INSTALLATIONS

“Rules for ballast water management installations” has been partly amended as follows:

Part 2 SURVEYS

Chapter 1 GENERAL

1.1 General

1.1.3 Intervals of Surveys*

Sub-paragraph -5 has been amended as follows.

5 Occasional Surveys

Occasional Surveys are to be carried out at the following occasions at times other than Registration Surveys or Periodical Surveys. To implement the survey, in lieu of the traditional ordinary surveys where a surveyor is in attendance, the Society may approve survey methods which it considers to be appropriate.

((1) to (3) are omitted.)

Chapter 4 OCCASIONAL SURVEYS

Section 4.1 has been amended as follows.

4.1 General*

At Occasional Surveys, inspections are to be carried out on the relevant items of the requirements specified in **3.1.2** and **3.1.3**. In addition, Registration Surveys for such installations are to be carried out mutatis mutandis according to the degree of repairs or modifications made to the ballast water management installation and its relevant equipment. To implement the survey, in lieu of the traditional ordinary surveys where a surveyor is in attendance, the Society may approve survey methods which it considers to be appropriate.

EFFECTIVE DATE AND APPLICATION

1. The effective date of the amendments is 27 December 2019.

GUIDANCE FOR BALLAST WATER MANAGEMENT INSTALLATIONS

GUIDANCE

2019 AMENDMENT NO.2

Notice No.75 27 December 2019

Resolved by Technical Committee on 22 July 2019

Notice No.75 27 December 2019

AMENDMENT TO THE GUIDANCE FOR BALLAST WATER MANAGEMENT INSTALLATIONS

“Guidance for ballast water management installations” has been partly amended as follows:

Part 2 SURVEYS

Chapter 1 GENERAL

1.1 General

Paragraph 1.1.3 has been added as follows.

1.1.3 Intervals of Surveys

The wording “the Society may approve the survey methods which it considers to be appropriate.” in 1.1.3-5, Part 2 of the Rules means survey methods which the Society considers to be able to obtain information equivalent to that obtained through traditional ordinary surveys where a surveyor is in attendance.

Chapter 4 has been added as follows.

Chapter 4 OCCASIONAL SURVEYS

4.1 General

The wording “the Society may approve the survey methods which it considers to be appropriate.” in 4.1, Part 2 of the Rules means survey methods which the Society considers to be able to obtain information equivalent to that obtained through traditional ordinary surveys where a surveyor is in attendance.

EFFECTIVE DATE AND APPLICATION

1. The effective date of the amendments is 27 December 2019.