Amendment on 26 December 2024 Resolved by Technical Committee on 23 July 2024

## **Automatic and Remote Control of Machinery**

#### **Object of Amendment**

Rules for the Survey and Construction of Steel Ships Part D Rules for Automatic and Remote Control Systems Rules for the Survey and Construction of Inland Waterway Ships Guidance for the Survey and Construction of Steel Ships Part D Guidance for the Survey and Construction of Inland Waterway Ships

#### **Reason for Amendment**

Although remote control devices are required for periodically unattended machinery spaces, they may also be provided for manned machinery spaces. IACS Unified Requirements (UR) M47 and M43 each specify safety requirements for main propulsion machinery remote control devices installed on navigation bridges: UR M43 specifies requirements for M0-ships (ships with unmanned machinery spaces), whereas UR M47 specifies requirements for non-M0-ships (ships with manned machinery spaces). IACS recently reviewed these UR to determine whether any of their requirements could be consolidated. As a result of its review, IACS decided to incorporate UR M47 into UR M43 and adopted UR M43(Rev.1) in February 2024 to amend relevant requirements so that they apply to remote control devices of main propulsion machinery installed on navigation bridges regardless of whether a ship is a M0-ship.

In addition to the above, the application of some requirements in the NK Rules related to the automatic and remote control of control systems, safety systems and alarm systems was unclear with respect to machinery type and machinery characteristics. The Society decided, therefore, to take advantage of the opportunity provided by the adoption of UR M43(Rev.1), and review general requirements related to the automatic and remote control of such systems.

Accordingly, relevant requirements are amended in accordance with UR M43(Rev.1) and the Society's internal review of its requirements for control and other systems related to the automatic and remote control of machinery.

#### **Outline of Amendment**

The main details of this amendment are as follows:

- (1) Amends requirements for the remote control devices of main propulsion machinery in accordance with M43(Rev.1) to specify they apply to even non-M0-ships.
- (2) Amends the following requirements related to automatic and remote control.
  - (a) Clarifies that override capability for overspeed protective devices for emergency generator engines is not required even for engines smaller than 220 kW.
  - (b) Clarifies that low-temperature alarms for fuel using the burners for boilers and thermal oil installations are only required when fuel temperature (viscosity) control is carried out.
  - (c) Clarifies requirements for lubrication oil low-pressures only apply when lubrication

pumps are installed.

(d) Deletes requirements related to the installation of alarm devices (lubrication oil low-pressure, etc.) necessary for remote control from navigation bridges for non-M0-ships.

### **Effective Date and Application**

(1) Amendment (1) above

This amendment applies to ships for which the date of contract for construction is on or after 1 January 2025.

(Notwithstanding the above, this amendment may be applied in advance of the effective date upon shipowner request.)

(2) Amendment (2) aboveEffective date of this amendment is 26 December 2024.

ID: DD24-07

An asterisk (\*) after the title of a requirement indicates that there is also relevant information in the corresponding Guidance.

Amended	Original	Remarks
RULES FOR THE SURVEY AND CONSTRUCTION OF STEEL SHIPS	<b>RULES FOR THE SURVEY AND CONSTRUCTION OF STEEL SHIPS</b>	
Part D MACHINERY INSTALLATIONS	Part D MACHINERY INSTALLATIONS	
Chapter 18AUTOMATIC AND REMOTE CONTROL	Chapter 18AUTOMATIC AND REMOTE CONTROL	
18.3 Automatic and Remote Control of Main Propulsion Machinery or Controllable Pitch Propellers	18.3 Automatic and Remote Control of Main Propulsion Machinery or Controllable Pitch Propellers	
18.3.3Bridge Control Devices*	18.3.3Bridge Control Devices*	
<ul> <li>Bridge control devices are to comply with the following (1) through (6) as well as requirements in 18.3.2.</li> <li>((1) to (4) are omitted.)</li> <li>(5) Operations following any setting of the bridge control device including reversing from the maximum ahead service speed in case of emergency are to take place in an automatic sequence and with time intervals acceptable to the machinery.</li> <li>(6) For steam turbines, a slow-turning device is to be provided which operates automatically or manually to prevent any risk of rotor distortion due to propulsion turbines being stopped for long periods of time. Discontinuation of this automatic turning from the bridge must be possible.</li> </ul>	Bridge control devices are to comply with the following (1) through ( <u>4</u> ) as well as requirements in 18.3.2. ((1) to (4) are omitted.) (Newly added)	UR M43(Rev.1) M43.3 UR M43(Rev.1) M43.5 and Note
FEFECTIVE DATE /	AND APPLICATION	
1 The effective date of the amondments is 1 January 202	5	
<b>1.</b> The effective date of the amendments is 1 January 202.	J.	

	Amended	Original	Remarks
2.	Notwithstanding the amendments to the Rules, the cur	rent requirements apply to ships for which the date of contract	
	for construction is before the effective date.		
3.	Notwithstanding the provision of preceding 2., the am	endments to the Rules may apply to the surveys for which the	
	application is submitted to the Society before the effect	tive date upon request by the owner.	
	* "contract for construction" is defined in the latest	version of IACS Procedural Requirement (PR) No.29.	
	IACS PR No.29 (I	Rev.0, July 2009)	
1.	The date of "contract for construction" of a vessel is the date on which the contract	t to build the vessel is signed between the prospective owner and the shipbuilder. This date and	
	the construction numbers (i.e. hull numbers) of all the vessels included in the cont class to a newbuilding	ract are to be declared to the classification society by the party applying for the assignment of	
2.	The date of "contract for construction" of a series of vessels, including specified of	ptional vessels for which the option is ultimately exercised, is the date on which the contract to	
	For the purpose of this Procedural Requirement, vessels built under a single contr	act for construction are considered a "series of vessels" if they are built to the same approved	
	plans for classification purposes. However, vessels within a series may have desig	n alterations from the original design provided:	
	<ul> <li>(1) such alterations do not affect matters related to classification, or</li> <li>(2) If the alterations are subject to classification requirements, these alterations and an experimental subject to classification requirements.</li> </ul>	are to comply with the classification requirements in effect on the date on which the alterations	
	are contracted between the prospective owner and the shipbuilder or, in the	absence of the alteration contract, comply with the classification requirements in effect on the	
	The optional vessels will be considered part of the same series of vessels if the opt	ion is exercised not later than 1 year after the contract to build the series was signed.	
3.	If a contract for construction is later amended to include additional vessels or addi amendment to the contract, is signed between the prospective owner and the shiph	tional options, the date of "contract for construction" for such vessels is the date on which the wilder. The amendment to the contract is to be considered as a "new contract" to which 1 and	
	<b>2.</b> above apply.	ander. The anendment to the contract is to be considered as a new contract to which it, and	
4.	If a contract for construction is amended to change the ship type, the date of "cont or new contract is signed between the Owner, or Owners, and the shipbuilder.	ract for construction" of this modified vessel, or vessels, is the date on which revised contract	
<b>NT</b> .	· · · · · · · · · · · · · · · · · · ·		
Note	e: Procedural Requirement applies from 1 July 2009.		

Amended-Original Requirements Comparis	on Table (Automatic and Remote Control of Machinery	)
Amended	Original	Remarks
18.5 Automatic and Remote Control of Electric	18.5 Automatic and Remote Control of Electric	
Generating Sets	Generating Sets	
<b>18.5.2 Emergency Source of Electric Power</b>	18.5.2 Emergency Source of Electric Power	
Automatic or remote control devices for reciprocating	Automatic or remote control devices for reciprocating	
internal combustion engines driving emergency generators are	internal combustion engines driving emergency generators are	
to comply with the following requirements:	to comply with the following requirements:	
(1) Alarm devices, to be activated in the event of any of	(1) Alarm devices, to be activated in the event of any of	
the abnormal conditions given in <b>Table D18.2</b> , are to	the abnormal conditions given in <b>Table D18.2</b> , are to	
be provided.	be provided.	
(2) Devices referred to in (1) are to provide alarms at both	(2) Devices referred to in (1) are to provide alarms at both	
local and navigation bridge. Visual alarms at	local and navigation bridge. Visual alarms at	
navigation bridge may be of group indication.	navigation bridge may be of group indication.	
(3) Each reciprocating internal combustion engine with a	(3) Each reciprocating internal combustion engine with a	
maximum continuous output of 220 kW or over is to	maximum continuous output of 220 kW or over is to	
be provided with an overspeed protective device	be provided with an overspeed protective device	
specified in 2.4.1-4.	specified in <b>2.4.1-4</b> . (4) $(1 - 1) = (1 - 1) = (1 - 1) = (1 - 1) = (1 - 1) = (1 - 1) = (1 - 1) = (1 - 1) = (1 - 1) = (1 - 1) = (1 - 1) = (1 - 1) = (1 - 1) = (1 - 1) = (1 - 1) = (1 - 1) = (1 - 1) = (1 - 1) = (1 - 1) = (1 - 1) = (1 - 1) = (1 - 1) = (1 - 1) = (1 - 1) = (1 - 1) = (1 - 1) = (1 - 1) = (1 - 1) = (1 - 1) = (1 - 1) = (1 - 1) = (1 - 1) = (1 - 1) = (1 - 1) = (1 - 1) = (1 - 1) = (1 - 1) = (1 - 1) = (1 - 1) = (1 - 1) = (1 - 1) = (1 - 1) = (1 - 1) = (1 - 1) = (1 - 1) = (1 - 1) = (1 - 1) = (1 - 1) = (1 - 1) = (1 - 1) = (1 - 1) = (1 - 1) = (1 - 1) = (1 - 1) = (1 - 1) = (1 - 1) = (1 - 1) = (1 - 1) = (1 - 1) = (1 - 1) = (1 - 1) = (1 - 1) = (1 - 1) = (1 - 1) = (1 - 1) = (1 - 1) = (1 - 1) = (1 - 1) = (1 - 1) = (1 - 1) = (1 - 1) = (1 - 1) = (1 - 1) = (1 - 1) = (1 - 1) = (1 - 1) = (1 - 1) = (1 - 1) = (1 - 1) = (1 - 1) = (1 - 1) = (1 - 1) = (1 - 1) = (1 - 1) = (1 - 1) = (1 - 1) = (1 - 1) = (1 - 1) = (1 - 1) = (1 - 1) = (1 - 1) = (1 - 1) = (1 - 1) = (1 - 1) = (1 - 1) = (1 - 1) = (1 - 1) = (1 - 1) = (1 - 1) = (1 - 1) = (1 - 1) = (1 - 1) = (1 - 1) = (1 - 1) = (1 - 1) = (1 - 1) = (1 - 1) = (1 - 1) = (1 - 1) = (1 - 1) = (1 - 1) = (1 - 1) = (1 - 1) = (1 - 1) = (1 - 1) = (1 - 1) = (1 - 1) = (1 - 1) = (1 - 1) = (1 - 1) = (1 - 1) = (1 - 1) = (1 - 1) = (1 - 1) = (1 - 1) = (1 - 1) = (1 - 1) = (1 - 1) = (1 - 1) = (1 - 1) = (1 - 1) = (1 - 1) = (1 - 1) = (1 - 1) = (1 - 1) = (1 - 1) = (1 - 1) = (1 - 1) = (1 - 1) = (1 - 1) = (1 - 1) = (1 - 1) = (1 - 1) = (1 - 1) = (1 - 1) = (1 - 1) = (1 - 1) = (1 - 1) = (1 - 1) = (1 - 1) = (1 - 1) = (1 - 1) = (1 - 1) = (1 - 1) = (1 - 1) = (1 - 1) = (1 - 1) = (1 - 1) = (1 - 1) = (1 - 1) = (1 - 1) = (1 - 1) = (1 - 1) = (1 - 1) = (1 - 1) = (1 - 1) = (1 - 1) = (1 - 1) = (1 - 1) = (1 - 1) = (1 - 1) = (1 - 1) = (1 - 1) = (1 - 1) = (1 - 1) = (1 - 1) = (1 - 1) = (1 - 1) = (1 - 1) = (1 - 1) = (1 - 1) = (1 - 1) = (1 - 1) = (1 - 1) = (1 - 1) = (1 - 1) = (1 - 1) = (1 - 1) = (1 - 1) = (1 - 1) = (1 - 1) = (1 - 1) = (1 - 1) = (1 - 1) = (1 - 1) = (1 - 1) = (1 - 1) = (1 - 1) = (1 - 1) = (1 - 1) = (1 - 1) = (1 - 1$	
(4) When devices, other than overspeed protective	(4) When devices, other than those referred to in (3), are	Clarification (Consistent
devices, are provided to shutdown reciprocating	provided to shutdown reciprocating internal	with UR M63)
internal compusition engines, means are to be	combustion engines, means are to be provided to	
during newigation	novigation	
(5) The silencing of the audible elerms from neurostion	(5) The silencing of the audible elerms from newigation	
(5) The shencing of the audiole alarms from havigation bridge is not to cause the silencing of the audible	(5) The shelling of the audiole alarms from havigation bridge is not to cause the silencing of the audible	
alarms at local positions	alarms at local positions	
alarms at local positions.	ataritis at local positions.	
18.6 Automatic and Remote Control of Auxiliary Machinery	18.6 Automatic and Remote Control of Auxiliary Machinery	
18.6.3 Thermal Oil Installations	18.6.3 Thermal Oil Installations	
Thermal oil installations arranged to be automatically	Thermal oil installations arranged to be automatically	
controlled are to comply with the following:	controlled are to comply with the following:	

	/			
	Amended		Original	Remarks
<ul><li>(1)</li><li>(2)</li><li>(3)</li></ul>	<ul> <li>Control devices</li> <li>Control devices are to comply with 18.4.2-1 and -2, also with 9.12.2-1 and -2.</li> <li>Safety devices</li> <li>Safety devices are to comply with 9.12.1 and 9.12.2-5.</li> <li>Alarm devices</li> <li>Thermal oil installations are to be provided with alarm devices which operate in the following cases:</li> <li>(a) When the safety devices required in (2) have operated.</li> <li>(b) When the temperature of the fuel at the inlet of burner has fallen in cases where heated fuel is used.</li> </ul>	<ul><li>(1)</li><li>(2)</li><li>(3)</li></ul>	<ul> <li>Control devices</li> <li>Control devices are to comply with 18.4.2-1 and -2, also with 9.12.2-1 and -2.</li> <li>Safety devices</li> <li>Safety devices are to comply with 9.12.1 and 9.12.2-5.</li> <li>Alarm devices</li> <li>Thermal oil installations are to be provided with alarm devices which operate in the following cases:</li> <li>(a) When the safety devices required in (2) have operated.</li> <li>(b) When the temperature of the fuel at the inlet of burner has fallen.</li> </ul>	Clarification (Added in consideration of the use of fuel oil)
	EFFECTIVE DATE A	AND AP	PLICATION	
1.	The effective date of this amendment is 26 December 2	2024.		

Amended	Original	Remarks
RULES FOR AUTOMATIC AND REMOTE CONTROL SYSTEMS	RULES FOR AUTOMATIC AND REMOTE CONTROL SYSTEMS	
Chapter 3 CENTRALIZED MONITORING AND CONTROL SYSTEMS FOR MACHINERY	Chapter 3 CENTRALIZED MONITORING AND CONTROL SYSTEMS FOR MACHINERY	
3.3Additional Requirements for Safety Measures	3.3Additional Requirements for Safety Measures	
3.3.2 Main Propulsion Machinery or Controllable Pitch Propellers	3.3.2 Main Propulsion Machinery or Controllable Pitch Propellers	
<ul> <li>-1. (Omitted)</li> <li>-2. Main propulsion machinery in ships in which steam turbines are used as main propulsion machinery (excluding electric propulsion ships)</li> <li>((1) to (3) are omitted.)</li> <li>(Deleted)</li> </ul>	<ul> <li>-1. (Omitted)</li> <li>-2. Main propulsion machinery in ships in which steam turbines are used as main propulsion machinery (excluding electric propulsion ships)</li> <li>((1) to (3) are omitted.)</li> <li>(4) Spinning devices <ul> <li>Automatic spinning devices or other suitable measures are to be employed to prevent any risk of rotor distortion due to propulsion turbines being</li> </ul> </li> </ul>	Transfer to 18.3.3(6), Part D
( <u>4</u> ) Alarm devices Steam turbines used as main propulsion machinery are to be provided with alarm devices which activate in the event of any of those abnormal conditions given in <b>Table 3.2</b> .	<ul> <li>stopped for long periods of time.</li> <li>(5) Alarm devices</li> <li>Steam turbines used as main propulsion machinery are to be provided with alarm devices which activate in the event of any of those abnormal conditions given in Table 3.2.</li> </ul>	
EFFECTIVE DATE	AND APPLICATION	
<ol> <li>The effective date of the amendments is 1 January 20.</li> <li>Notwithstanding the amendments to the Rules, the cu for construction is before the effective date.</li> </ol>	25. Irrent requirements apply to ships for which the date of contract	

Amended	Original	Remarks
<ul> <li>3. Notwithstanding the provision of preceding 2., the am application is submitted to the Society before the effec</li> <li>* "contract for construction" is defined in the latest</li> </ul>	endments to the Rules may apply to the surveys for which the tive date upon request by the owner. version of IACS Procedural Requirement (PR) No.29.	
IACS PR No.29 (J	Rev.0, July 2009)	
1. The date of "contract for construction" of a vessel is the date on which the contract the construction numbers (i.e. hull numbers) of all the vessels included in the contract class to a newbuilding.	t to build the vessel is signed between the prospective owner and the shipbuilder. This date and tract are to be declared to the classification society by the party applying for the assignment of	
<ol> <li>The date of "contract for construction" of a series of vessels, including specified of build the series is signed between the prospective owner and the shipbuilder. For the purpose of this Procedural Requirement, vessels built under a single control plans for classification purposes. However, vessels within a series may have desig (1) such alterations do not affect matters related to classification, or</li> <li>(2) If the alterations are subject to classification requirements, these alterations are contracted between the prospective owner and the shipbuilder or, in the date on which the alterations are submitted to the Society for approval. The optional vessels will be considered part of the same series of vessels if the optional vessels will be considered part of the same series of vessels or addi amendment to the contract, is signed between the prospective owner and the shipbuilder.</li> <li>4. If a contract for construction is amended to change the ship type, the date of "contror new contract is signed between the Owner, or Owners, and the shipbuilder.</li> <li>Note:</li> <li>This Procedural Requirement applies from 1 July 2009.</li> </ol>	ptional vessels for which the option is ultimately exercised, is the date on which the contract to act for construction are considered a "series of vessels" if they are built to the same approved n alterations from the original design provided: are to comply with the classification requirements in effect on the date on which the alterations absence of the alteration contract, comply with the classification requirements in effect on the ion is exercised not later than 1 year after the contract to build the series was signed. tional options, the date of "contract for construction" for such vessels is the date on which the builder. The amendment to the contract is to be considered as a "new contract" to which <b>1.</b> and tract for construction" of this modified vessel, or vessels, is the date on which revised contract	
<b>3.3.7 Other Machinery</b> <b>1</b> Air compressors Air compressors <u>equipped with lubrication pumps</u> are to be arranged so as to automatically stop in the event of pressure drops of lubricating oil. <u>(This requirement, however, does not</u> apply to oilless and oil splash lubricating systems)	<ul> <li>3.3.7 Other Machinery</li> <li>1 Air compressors</li> <li>Air compressors are to be arranged so as to automatically stop in the event of pressure drops of lubricating oil.</li> </ul>	Clarification (Specify the exclusion of "Oil less" and "oil splash lubricating systems" due to no L.O. pressure.)

					Remarks
	Table 3	.3 Boilei	S	1	
	Monitored Variables	Alarms	Remarks		Clarification
Temperature	F.O. to burners	L	applied to in case where heated fuel is used		(Added in consid
			or F.O. heater outlets for aux. boilers		of the use of fuel of
	Gas air heaters or economizer outlets	Н	applied to main boilers		
	Superheater steam outlets	Н			
Pressure	Steam drums or superheater outlets	L	in cases where superheaters are fitted, superheater		
			outlets are required		
	Forced drafts	L	or stoppage of driving units		
	F.O. to burners (atomizing press)	L	applied to water tube boilers with max. working		
	Atomizing mediums	L	pressures exceeding 1MPa not used for only		
			heating and general use		
Others	Water levels	ΗL			
	Stoppage of air preheater driving units	0	applied to main boilers		
	Feed water pressures at feed water pump	L	applied to water tube boilers with max. working		
	outlets		pressures exceeding 1MPa		
	Salinity in feed water pump inlets	Н	applied to ships provided with steam turbine		
			driving generators		

		Monitored Variables	Alarms	Remarks	ļ		
	F.O.	Pressure, burner inlets	L		ļ		
		Temperature burner inlets	L	applied to in case where heated fuel is used	ļ	Clarification	
	Thermal oil	Temperatures	Н			(Added in consideration	
		Flows or pressure differences between outlets and inlets of heaters	L			of the use of fuel oil)	
		Levels in expansion tanks	L				
	Others	Flame failure	0				
EFFECTIVE DATE AND APPLICATION							
<b>1.</b> The	effective dat	e of this amendment is 26 Decembe	er 2024.				

Amended	Original	Remarks
Chapter 4 MONITORING AND CONTROL SYSTEMS FOR PERIODICALLY UNATTENDED MACHINERY SPACES	Chapter 4 MONITORING AND CONTROL SYSTEMS FOR PERIODICALLY UNATTENDED MACHINERY SPACES	
4.2 Monitoring and Control Systems for Periodically Unattended Machinery Spaces	4.2 Monitoring and Control Systems for Periodically Unattended Machinery Spaces	
<ul> <li>4.2.2 Bridge Control Devices or Centralized Monitoring and Control Systems for Machinery Installed in Bridge</li> <li>1 Bridge control devices specified in 18.3.3, Part D of the Rules for the Survey and Construction of Steel Ships or centralized monitoring and control systems for machinery are to be provided on bridges. However, the manual slow- turning devices specified in 18.3.3(6) Part D of the Pulse</li> </ul>	<ul> <li>4.2.2 Bridge Control Devices or Centralized Monitoring and Control Systems for Machinery Installed in Bridge</li> <li>1 Bridge control devices specified in 18.3.3, Part D of the Rules for the Survey and Construction of Steel Ships or centralized monitoring and control systems for machinery are to be provided on bridges.</li> </ul>	UR M43(Rev.1) M43.5
for the Survey and Construction of Steel Ships are not permitted.		
EFFECTIVE DATE A	AND APPLICATION	
<ol> <li>The effective date of the amendments is 1 January 202</li> <li>Notwithstanding the amendments to the Rules, the cur for construction is before the effective date.</li> </ol>	5. rent requirements apply to ships for which the date of contract	
3. Notwithstanding the provision of preceding 2., the am application is submitted to the Society before the effect		
* " "contract for construction" is defined in the latest		
IACS PR No.29 (		
<ol> <li>The date of "contract for construction" of a vessel is the date on which the contract the construction numbers (i.e. hull numbers) of all the vessels included in the con class to a newbuilding</li> </ol>		
<ol> <li>The date of "contract for construction" of a series of vessels, including specified of build the series is signed between the prospective owner and the shipbuilder. For the purpose of this Procedural Requirement, vessels built under a single cont plans for classification purposes. However, vessels within a series may have designed to the purpose of the purpose of the purpose of the purpose.</li> </ol>	ptional vessels for which the option is ultimately exercised, is the date on which the contract to ract for construction are considered a "series of vessels" if they are built to the same approved in alterations from the original design provided:	

Amended	Original	Remarks
<ol> <li>such alterations do not affect matters related to classification, or</li> <li>If the alterations are subject to classification requirements, these alterations are to are contracted between the prospective owner and the shipbuilder or, in the abster date on which the alterations are submitted to the Society for approval. The optional vessels will be considered part of the same series of vessels if the option</li> <li>If a contract for construction is later amended to include additional vessels or addition amendment to the contract, is signed between the prospective owner and the shipbuilder.</li> <li>If a contract for construction is amended to change the ship type, the date of "contract or new contract is signed between the Owner, or Owners, and the shipbuilder.</li> <li>Note:</li> <li>This Procedural Requirement applies from 1 July 2009.</li> </ol>	to comply with the classification requirements in effect on the date on which the alterations ence of the alteration contract, comply with the classification requirements in effect on the is exercised not later than 1 year after the contract to build the series was signed. (al options, the date of "contract for construction" for such vessels is the date on which the der. The amendment to the contract is to be considered as a "new contract" to which <b>1</b> . and t for construction" of this modified vessel, or vessels, is the date on which revised contract	

Amended	Original	Remarks
RULES FOR THE SURVEY AND CONSTRUCTION OF INLAND WATERWAY	RULES FOR THE SURVEY AND CONSTRUCTION OF INLAND WATERWAY	
SHIPS Part 7 MACHINERY INSTALLATIONS	SHIPS Part 7 MACHINERY INSTALLATIONS	
Chapter 14 AUTOMATIC AND REMOTE CONTROL	Chapter 14AUTOMATIC AND REMOTE CONTROL	
14.3 Automatic and Remote Control of Main Propulsion Machinery or Controllable Pitch Propellers	14.3 Automatic and Remote Control of Main Propulsion Machinery or Controllable Pitch Propellers	
<ul> <li>14.3.3 Bridge Control Devices* Bridge control devices are to comply with the following (1) through (6) as well as requirements in 14.3.2. ((1) to (4) are omitted.)</li> <li>(5) Operations following any setting of the bridge control device including reversing from the maximum ahead service speed in case of emergency are to take place in an automatic sequence and with time intervals acceptable to the machinery.</li> </ul>	14.3.3 Bridge Control Devices* Bridge control devices are to comply with the following (1) through ( <u>4</u> ) as well as requirements in 14.3.2. ((1) to (4) are omitted.) (Newly added)	Same as 18.3.3(5), Part D Same as 18.3.3(6), Part D
(6) For steam turbines, a slow-turning device is to be provided which operates automatically or manually to prevent any risk of rotor distortion due to propulsion turbines being stopped for long periods of time. Discontinuation of this automatic turning from the bridge must be possible.	(Newly added)	
EFFECTIVE DATE A <b>1.</b> The effective date of the amendments is 1 January 202	AND APPLICATION 5.	

	Amended	Original	Remarks
2.	Notwithstanding the amendments to the Rules, the cur	rent requirements apply to ships for which the date of contract	
	for construction is before the effective date.		
3.	Notwithstanding the provision of preceding 2., the am	endments to the Rules may apply to the surveys for which the	
	application is submitted to the Society before the effect	tive date upon request by the owner.	
	* "contract for construction" is defined in the latest	version of IACS Procedural Requirement (PR) No.29.	
	IACS PR No.29 (I	Rev.0, July 2009)	
1.	The date of "contract for construction" of a vessel is the date on which the contract	t to build the vessel is signed between the prospective owner and the shipbuilder. This date and	
	the construction numbers (i.e. hull numbers) of all the vessels included in the con- class to a newbuilding	ract are to be declared to the classification society by the party applying for the assignment of	
2.	The date of "contract for construction" of a series of vessels, including specified of	ptional vessels for which the option is ultimately exercised, is the date on which the contract to	
	build the series is signed between the prospective owner and the shipbuilder. For the purpose of this Procedural Requirement, vessels built under a single contr	act for construction are considered a "series of vessels" if they are built to the same approved	
	plans for classification purposes. However, vessels within a series may have desig	n alterations from the original design provided:	
	<ul> <li>(1) such alterations do not affect matters related to classification, or</li> <li>(2) If the alterations are subject to classification requirements, these alterations</li> </ul>	are to comply with the classification requirements in effect on the date on which the alterations	
	are contracted between the prospective owner and the shipbuilder or, in the date on which the alterations are submitted to the Society for approval	absence of the alteration contract, comply with the classification requirements in effect on the	
	The optional vessels will be considered part of the same series of vessels if the opt	ion is exercised not later than 1 year after the contract to build the series was signed.	
3.	If a contract for construction is later amended to include additional vessels or additio	tional options, the date of "contract for construction" for such vessels is the date on which the wilder. The amendment to the contract is to be considered as a "new contract" to which 1 and	
	<b>2.</b> above apply.		
4.	If a contract for construction is amended to change the ship type, the date of "con- or new contract is signed between the Owner, or Owners, and the shipbuilder.	ract for construction" of this modified vessel, or vessels, is the date on which revised contract	
ът.,			
Note	e: Procedural Requirement applies from 1 July 2009.		

Amended-Original Requirements Comparison Table (Automatic and Remote Control of Machinery)				
Amended	Original	Remarks		
14.6 Automatic and Remote Control of Auxiliary Machinery	14.6 Automatic and Remote Control of Auxiliary Machinery			
<ul> <li>14.6.3 Thermal Oil Installations</li> <li>Thermal oil installations arranged to be automatically controlled are to comply with the following: <ol> <li>Control devices</li> <li>Control devices are to comply with 14.4.2-1 and -2, also with 7.3.2-1 and -2.</li> </ol> </li> <li>(2) Safety devices <ul> <li>Safety devices are to comply with 7.3.1 and 7.3.2-5.</li> </ul> </li> <li>(3) Alarm devices <ul> <li>Thermal oil installations are to be provided with alarm devices which operate in the following cases: <ul> <li>(a) When the safety devices required in (2) have operated.</li> </ul> </li> <li>(b) When the temperature of the fuel at the inlet of burner has fallen in cases where heated fuel is used.</li> </ul> </li> </ul>	<ul> <li>14.6.3 Thermal Oil Installations Thermal oil installations arranged to be automatically controlled are to comply with the following: <ol> <li>Control devices</li> <li>Control devices are to comply with 14.4.2-1 and -2, also with 7.3.2-1 and -2.</li> </ol> </li> <li>Safety devices <ul> <li>Safety devices are to comply with 7.3.1 and 7.3.2-5.</li> </ul> </li> <li>Alarm devices <ul> <li>Thermal oil installations are to be provided with alarm devices which operate in the following cases:</li> <li>When the safety devices required in (2) have operated.</li> </ul> </li> <li>(b) When the temperature of the fuel at the inlet of burner has fallen.</li> </ul>	Same as 18.6.3(3)(b), Part D		
EFFECTIVE DATE A	AND APPLICATION			
1. The effective date of this amendment is 26 December 2	2024.			

Amended	Original	Remarks
GUIDANCE FOR THE SURVEY AND CONSTRUCTION OF STEEL SHIPS	GUIDANCE FOR THE SURVEY AND CONSTRUCTION OF STEEL SHIPS	
Part D MACHINERY INSTALLATIONS	Part D MACHINERY INSTALLATIONS	
D18 AUTOMATIC AND REMOTE CONTROL	D18 AUTOMATIC AND REMOTE CONTROL	
D18.3 Automatic and Remote Control of Main Propulsion Machinery or Controllable Pitch Propellers	D18.3 Automatic and Remote Control of Main Propulsion Machinery or Controllable Pitch Propellers	
<ul> <li>D18.3.2 Remote Control Devices for Main Propulsion Machinery or Controllable Pitch Propellers</li> <li>1 The wording "alarm devices necessary for the control" specified in 18.3.2-1(6), Part D of the Rules means the following (1) and (2). In addition, visible alarm devices are to be capable of not only distinguishing machinery and equipment affected but also and the kind of abnormal condition. However, in cases where such distinction can be readily made by other instruments in engine rooms, this requirement may be dispensed with. Furthermore, in cases where it is possible to remotely control main engines from more than one position, alarm devices only need to be installed in one normally attended position.</li> </ul>	D18.3.2 Remote Control Devices for Main Propulsion Machinery or Controllable Pitch Propellers 1 The wording "alarm devices necessary for the control" specified in 18.3.2-1(6), Part D of the Rules means the following (1) to (3):	Clarification (The exclusion rules are arranged to be easy to understand.)
<ul> <li>(1) Alarm systems activating in the following cases:</li> <li>(a) Pressure drops of lubricating oil</li> <li>(b) Pressure drops of cooling water, or temperature rises of cooling water or the stopping of cooling water pumps</li> <li>(c) Pressure drops of hydraulic oil or compressed air, or failures of the electric power for remote</li> </ul>	<ol> <li>Alarm systems activating in the following cases:         <ul> <li>(a) Pressure drops of lubricating oil</li> <li>(b) Pressure drops of cooling water, or temperature rises of cooling water or the stopping of cooling water pumps</li> <li>(c) Pressure drops of hydraulic oil or compressed air, or failures of the electric power for remote</li> </ul> </li> </ol>	

Amended-Original Rec	uirements Com	parison Table	(Automatic and Remote	e Control of Machinery)
U	1	1		<b>J</b> /

Amended	Original	Remarks
<ul> <li>controls <ul> <li>(d) Activation of emergency stopping devices</li> </ul> </li> <li>(2) Alarm devices activating in the following cases in addition to those specified in (1), in the case of ships which have propulsion motors as their main propulsion machinery: <ul> <li>(a) Electric insulation resistance drops in power supply circuits</li> <li>(b) Abnormal stopping of the cooling fans of semiconductor converters</li> <li>(c) Pressure drops of cooling water, temperature rises or the stopping of the cooling water pumps of semiconductor converters</li> <li>(d) Activation of the semiconductor protection devices of semiconductor converters</li> </ul> </li> </ul>	<ul> <li>controls <ul> <li>(d) Activation of emergency stopping devices</li> </ul> </li> <li>(2) Alarm devices activating in the following cases in addition to those specified in (1), in the case of ships which have propulsion motors as their main propulsion machinery: <ul> <li>(a) Electric insulation resistance drops in power supply circuits</li> <li>(b) Abnormal stopping of the cooling fans of semiconductor converters</li> <li>(c) Pressure drops of cooling water, temperature rises or the stopping of the cooling water pumps of semiconductor converters</li> <li>(d) Activation of the semiconductor protection devices of semiconductor converters</li> </ul> </li> <li>(3) Visual alarms capable of distinguishing the machinery and equipment and the kinds of abnormal conditions specified in (1) and (2) above <ul> <li>However, in the case of ships capable of remote control from bridges and other places, the requirements may be dispensed with for visual alarms on bridges. Furthermore, in cases where such distinction can be readily made by other instruments in engine rooms, the requirements may be also dispensed with.</li> </ul> </li> </ul>	
EFFECTIVE DATE A <b>1.</b> The effective date of this amendment is 26 December 2		

Amended-Original	Requirements C	Comparison '	Table (Automatic and	Remote Control of	f Machinery)
0	1	1			<i>,</i>

Amended	Original	Remarks		
D18.3.3 Bridge Control Devices (-1 to -3 are omitted.) 4 In applying 18.3.3(5), Part D of the Rules, it is acceptable to confirm main engines are good condition when carrying out the astern tests specified in 2.3.1-1.(2), Part B of the Rules.	<b>D18.3.3 Bridge Control Devices</b> (-1 to -3 are omitted.) (Newly added)	UR M43(Rev.1) M43.3 Describe specific survey requirements.		
EFFECTIVE DATE A	AND APPLICATION			
<ol> <li>The effective date of the amendments is 1 January 202</li> <li>Notwithstanding the amendments to the Guidance, the offor construction is before the effective date.</li> <li>Notwithstanding the provision of preceding 2., the amendments to the Society before the e * "contract for construction" is defined in the latest</li> </ol>	5. current requirements apply to ships for which the date of contract endments to the Guidance may apply to the surveys for which ffective date upon request by the owner. version of IACS Procedural Requirement (PR) No.29.			
IACS PR No.29 (	Rev.0, July 2009)			
<ol> <li>The date of "contract for construction" of a vessel is the date on which the contract to build the vessel is signed between the prospective owner and the shipbuilder. This date and the construction numbers) of all the vessels including specified optional vessels for which the option is ultimately exercised, is the date on which the contract to build the series is signed between the prospective owner and the shipbuilder.</li> <li>The date of "contract for construction" of a series of vessels, including specified optional vessels for which the option is ultimately exercised, is the date on which the contract to build the series is signed between the prospective owner and the shipbuilder.</li> <li>For the purpose of this Procedural Requirement, vessels built under a single contract for construction are considered a "series of vessels" if they are built to the same approved plans for classification purposes. However, vessels within a series may have design alterations from the original design provided:         <ul> <li>(1) such alterations do not affect matters related to classification, or</li> <li>(2) If the alterations are subject to classification requirements, these alterations are to comply with the classification requirements in effect on the date on which the alterations are contracted between the prospective owner and the shipbuilder or, in the absence of the alteration contract, comply with the classification requirements in effect on the date on which the alterations are submitted to the Society for approval.</li> </ul> </li> <li>The optional vessels will be construction is alter amended to include additional vessels or additional options, the date of "contract for construction" for such vessels is the date on which the amendment to the contract, is signed between the prospective owner and the shipbuilder. The amendment to the contract is to be considered as a "new contract" to which 1. and 2. above apply.</li> <li>If a contract for constru</li></ol>				
Note: This Procedural Requirement applies from 1 July 2009.				

Timended offgind Requirements comparis	in Tuble (Futomute and Remote Control of Muchinery	/
Amended	Original	Remarks
<b>GUIDANCE FOR THE SURVEY AND</b>	<b>GUIDANCE FOR THE SURVEY AND</b>	
CONSTRUCTION OF INLAND WATERWAY	CONSTRUCTION OF INLAND WATERWAY	
SHIPS	SHIPS	
Part 7 MACHINERY INSTALLATIONS	Part 7 MACHINERY INSTALLATIONS	
Chapter 14AUTOMATIC AND REMOTE CONTROL	Chapter 14AUTOMATIC AND REMOTE CONTROL	
14.3 Automatic and Remote Control of Main Propulsion Machinery or Controllable Pitch Propellers	14.3 Automatic and Remote Control of Main Propulsion Machinery or Controllable Pitch Propellers	
<ul> <li>14.3.2 Remote Control Devices for Main Propulsion Machinery or Controllable Pitch Propellers</li> <li>1 The wording "alarm devices necessary for the control" specified in 14.3.2-1(6), Part 7 of the Rules means the following (1) and (2). In addition, visible alarm devices are to be capable of not only distinguishing machinery and equipment affected but also and the kind of abnormal condition. However, in cases where such distinction can be readily made by other instruments in engine rooms, this requirement may be dispensed with. Furthermore, in cases where it is possible to remotely control main engines from more than one position, alarm devices only need to be installed in one normally attended position.</li> <li>(1) Alarm systems activating in the following cases:</li> </ul>	<ul> <li>14.3.2 Remote Control Devices for Main Propulsion Machinery or Controllable Pitch Propellers</li> <li>1 The wording "alarm devices necessary for the control" specified in 14.3.2-1(6), Part 7 of the Rules means the following (1) to (3):</li> <li>(1) Alarm systems activating in the following cases:</li> </ul>	Clarification (The exclusion rules are arranged to be easy to understand.)
<ul> <li>(a) Pressure drops of lubricating oil</li> <li>(b) Pressure drops of cooling water, or temperature rises of cooling water or the stopping of cooling</li> </ul>	<ul> <li>(1) Anim systems activating in the following cases:</li> <li>(a) Pressure drops of lubricating oil</li> <li>(b) Pressure drops of cooling water, or temperature rises of cooling water or the stopping of cooling</li> </ul>	

Amended-Original Re	quirements Comp	parison Table (Au	utomatic and Remote	Control of Machinery)
---------------------	-----------------	-------------------	---------------------	-----------------------

Amended	Original	Remarks
<ul> <li>water pumps</li> <li>(c) Pressure drops of hydraulic oil or compressed air, or failures of the electric power for remote controls</li> <li>(d) Activation of emergency stopping devices</li> <li>(2) Alarm devices activating in the following cases in addition to those specified in (1), in the case of ships which have propulsion motors as their main propulsion machinery: <ul> <li>(a) Electric insulation resistance drops in power supply circuits</li> <li>(b) Abnormal stopping of the cooling fans of semiconductor converters</li> <li>(c) Pressure drops of cooling water, temperature rises or the stopping of the cooling water pumps of semiconductor converters</li> <li>(d) Activation of the semiconductor protection devices of semiconductor converters</li> </ul> </li> </ul>	<ul> <li>water pumps</li> <li>(c) Pressure drops of hydraulic oil or compressed air, or failures of the electric power for remote controls</li> <li>(d) Activation of emergency stopping devices</li> <li>(2) Alarm devices activating in the following cases in addition to those specified in (1), in the case of ships which have propulsion motors as their main propulsion machinery: <ul> <li>(a) Electric insulation resistance drops in power supply circuits</li> <li>(b) Abnormal stopping of the cooling fans of semiconductor converters</li> <li>(c) Pressure drops of cooling water, temperature rises or the stopping of the cooling water pumps of semiconductor converters</li> <li>(d) Activation of the semiconductor protection devices of semiconductor converters</li> </ul> </li> <li>(3) Visual alarms capable of distinguishing the machinery and equipment and the kinds of abnormal conditions specified in (1) and (2) above However, in the case of ships capable of remote control from bridges and other places, the requirements may be dispensed with for visual alarms on bridges. Furthermore, in cases where such distinction can be readily made by other instruments in engine rooms, the requirements may be also dispensed with.</li> </ul>	
EFFECTIVE DATE A	AND APPLICATION	
1. The effective date of this amendment is 26 December 2	2024.	

Amended-Original	Requirements	Comparison	Table (A	Automatic and	Remote	Control of	Machinery)
$\mathcal{O}$	1	1	<pre></pre>				<i>J</i> /

Amended	Original	Remarks
<ul> <li>14.3.3 Bridge Control Devices <ul> <li>(-1 to -3 are omitted.)</li> </ul> </li> <li>4 In applying 14.3.3(5), Part 7 of the Rules, it is acceptable to confirm main engines are good condition when carrying out the astern tests specified in 2.3.1-1(1), Part 2 of the Rules.</li> </ul>	<b>14.3.3 Bridge Control Devices</b> (-1 to -3 are omitted.) (Newly added)	Same as D18.3.3-4 of the Guidance
EFFECTIVE DATE A	AND APPLICATION	
<ol> <li>The effective date of the amendments is 1 January 202</li> <li>Notwithstanding the amendments to the Guidance, the offor construction is before the effective date.</li> <li>Notwithstanding the provision of preceding 2., the amendments to the Society before the e * "contract for construction" is defined in the latest</li> </ol>	5. current requirements apply to ships for which the date of contract endments to the Guidance may apply to the surveys for which ffective date upon request by the owner. version of IACS Procedural Requirement (PR) No.29.	
IACS PR No.29 (	Rev.0, July 2009)	
<ol> <li>The date of "contract for construction" of a vessel is the date on which the contract the construction numbers (i.e. hull numbers) of all the vessels included in the conclass to a newbuilding.</li> <li>The date of "contract for construction" of a series of vessels, including specified on build the series is signed between the prospective owner and the shipbuilder. For the purpose of this Procedural Requirement, vessels built under a single control plans for classification purposes. However, vessels within a series may have desig (1) such alterations are subject to classification requirements, these alterations are contracted between the prospective owner and the shipbuilder or, in the date on which the alterations are submitted to the Society for approval. The optional vessels will be considered part of the same series of vessels if the op</li> <li>If a contract for construction is later amended to include additional vessels or add amendment to the contract, is signed between the prospective owner and the shipbuilder.</li> <li>If a contract for construction is amended to change the ship type, the date of "contor or new contract is signed between the Owner, or Owners, and the shipbuilder.</li> </ol>		
This Procedural Requirement applies from 1 July 2009.		